# Environmental Product Declaration



EPD

R

In accordance with ISO 14025:2006 and EN 15804:2012+A2:2019/AC:2021 for:

NOVATOP SWP

AGROP NOVA a.s.



Programme: Programme operator: EPD registration number: Publication date: Revision date: Valid until: The International EPD® System, www.environdec.com EPD International AB S-P-11846 2023-12-14 2024-08-21 2028-12-14 An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com





## **General information**

## **Programme information**

Programme:	The International EPD® System
Address:	EPD International AB Box 210 60 SE-100 31 Stockholm Sweden
Website: E-mail:	www.environdec.com info@environdec.com

#### Accountabilities for PCR, LCA and independent, third-party verification

#### **Product Category Rules (PCR)**

CEN standard EN 158041+A2 serves as the Core Product Category Rules (PCR)

Product Category Rules (PCR): PCR 2019:14 Construction products (EN 15804:A2) (1.3.1)

PCR review was conducted by: IVL Swedish Environmental Research Institute Secretariat of the International EPD® System

#### Life Cycle Assessment (LCA)

LCA accountability: Mgr. Barbora Vlasata, UCEEB CTU in Prague www.uceeb.cz



#### **Third-party verification**

Independent third-party verification of the declaration and data, according to ISO 14025:2006, via: EPD verification by accredited certification body

Third-party verification: TZÚS Praha, s.p. is an approved certification body accountable for the thirdparty verification

The certification body is accredited by: Czech Accreditation Institute

Procedure for follow-up of data during EPD validity involves third party verifier: □ Yes □ Xes □ No

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content declarations; and be valid at the time of comparison. For further information about comparability, see EN 15804 and ISO 14025.





## **Company information**

Owner of the EPD: Agrop Nova a.s.,

Contact: Jan Sušeň Sales manager Jan.susen@agrop.cz www.agrop.cz

#### Description of the organisation:

AGROP NOVA a.s. was established in 2001. Today it is one of the largest and most modern producers of large multilayer boards in Europe. The company's core product range is NOVATOP SWP multilayer boards and NOVATOP SYSTEM - a comprehensive and in many ways unique building system based on cross-laminated timber (CLT).

**Product-related or management system-related certifications:** ISO 9001:2015

#### Name and location of production site(s):

Agrop Nova a.s., Lesnická 49, 798 03 Plumlov, the Czech Republic (headquarters and drying of wood) Agrop Nova a.s., Ptenský Dvorek 99, 798 43 Ptení, the Czech Republic (plant)

### **Product information**

#### Product name and identification:

NOVATOP SWP

#### Product description:

NOVATOP multilayer boards are made from coniferous sawn timber dried to 8% (larch 12 %). Each layer of the board is made up of slats of solid growing timber. 3-layer board consists of two outer layers and one central layer with a perpendicular grain to the grain of the top layers. A 5-ply board has two parallel surface layers on each side and one centre layer with a perpendicular fibre path to the fibre path of the surface layers. The thickness of the layers can vary and determines the final thickness of the board. The centre layer slats are bonded longitudinally and lengthwise bonded either butt or may be continuous. The maximum thickness is 42 mm. The outer layers are made of continuous slats with a thickness of 6 or 9 mm and a width of 93 to 143 mm. There is always a single plate the same width of the surface slats and are facing the right side of the surface. Longitudinal joints of the slats in each layer are glued together. The adhesive used is waterproof and the bonding of the surface slats corresponds to AW 100 or D4 according to EN 204. The sanding quality corresponds to grit 100.

#### UN CPC code:

314 Boards and panels

#### Geographical scope:

Europe, Global

For modules A1-A3, A4 and C1-C4 +D a European and Global scale has been considered due to the availability of data for waste scenarios.







## LCA information

#### Functional unit / declared unit:

1 m<sup>3</sup> of solid wood panel – mass 490 kg

#### Time representativeness:

< 10 years for background data; < 2 years for manufacturer's data


### Database(s) and LCA software used:

Ecolnvent database v. 3.8; SimaPro 9.4.0.2 software

#### Description of system boundaries:

Cradle to gate with options, modules C1–C4, module D and with optional modules (A1–A3 + C + D and additional modules). The additional modules may be one or more selected from A4–A5 and/or B1–B7

## System diagram



#### More information:

The electricity used in the production processes of module A3 is purchased from an electricity supplier and is supported by a Guarantee of Originit is electricity from renewable energy sources. The share of renewable energy sources was modelled based on the Czech Republic's energy mix current in the reference period. Its climate impact is 0,255 kg CO2 eq./kWh (using the GWP-GHG indicator). More info about production see www.novatop-system.com





## Modules declared, geographical scope, share of specific data (in GWP-GHG results) and data variation (in GWP-GHG results):

	P	roduct stag	ge	Constru process			-	l	Jse stag	e				End of life stage					
Module	Raw material supply	Lransport A2	Manufacturing	Transport	<b>C</b> onstruction installation	esn B1	<b>Ba</b> Maintenance	Repair Repair	<b>B4</b> Replacement	<b>B2</b> Refurbishment	<b>98</b> Operational energy use	<b>B4</b> Operational water use	De-construction demolition	Transport	<b>D</b> Waste processing	lesodsiQ	Reuse-Recovery-Recyclin- gpotential		
Modules declared	X	х	х	х		-					-		х	Х	х	х	×		
Geography	Global	Global	Global	Global									Global	Global	Global	Global	Global		
Specific data used		>90%			-	-	-	-	-	-	-	-	-	-	-	-	-		
Variation – products		0%			-	-	-	-	-	-	-	-	-	-	-	-	-		
Variation – sites		0%			-	-	-	-	-	-	-	-	-	-	-	-	-		

## **Content information**

Product components	Weight, kg	Post-consumer material, weight-%	Biogenic material, weight-% and kg C/kg
Sawnwood	465	0	100 % /207
Additional inputs – glue and sealant	25	0	0
TOTAL	490	0	95 %/207
Packaging materials	Weight, kg	Weight-% (versus the product)	Weight biogenic carbon, kg C/kg
Packaging film LDPE	0,4	0	0
TOTAL	0,4	0	0







## **Results of the environmental performance indicators**

## Mandatory impact category indicators according to EN 15804

				R	esults p	oer fun	ctiona	or dec	lared u	init						
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-fossil	kg CO <sub>2</sub> eq.	3,10E+02	7,08E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,26E-01	4,07E+00	3,73E-01	-1,34E+01	-9,12E+00
GWP-biogenic	kg CO <sub>2</sub> eq.	-1,65E+03	2,00E-01	ND	ND	ND	ND	ND	ND	ND	ND	4,12E-04	9,74E-03	1,44E+03	2,14E+02	-0,00E+00
GWP-luluc	kg CO <sub>2</sub> eq.	1,56E+00	2,62E-02	ND	ND	ND	ND	ND	ND	ND	ND	4,15E-05	1,37E-03	2,94E-05	-1,27E-02	-8,17E-03
GWP-total	kg CO <sub>2</sub> eq.	-1,34E+03	7,10E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,27E-01	4,08E+00	1,44E+03	2,01E+02	-9,13E+00
ODP	kg CFC 11 eq.	4,16E-05	1,61E-05	ND	ND	ND	ND	ND	ND	ND	ND	1,13E-07	9,23E-07	7,97E-08	-2,23E-06	-1,55E-06
AP	mol H+eq.	1,77E+00	2,86E-01	ND	ND	ND	ND	ND	ND	ND	ND	3,27E-03	1,63E-02	2,48E-03	-7,00E-02	-5,07E-02
EP-freshwater	kg P eq.	9,62E-02	4,71E-03	ND	ND	ND	ND	ND	ND	ND	ND	1,58E-05	2,73E-04	1,12E-05	-2,72E-03	-3,32E-03
EP-marine	kg N eq.	4,27E-01	8,75E-02	ND	ND	ND	ND	ND	ND	ND	ND	1,36E-03	4,99E-03	1,05E-03	-1,76E-02	-1,56E-02
EP-terrestrial	mol N eq	5,39E+00	9,54E-01	ND	ND	ND	ND	ND	ND	ND	ND	1,49E-02	5,44E-02	1,15E-02	-2,05E-01	-1,64E-01
POCP	kg NMVOC eq.	1,45E+00	2,90E-01	ND	ND	ND	ND	ND	ND	ND	ND	4,18E-03	1,66E-02	3,24E-03	-6,12E-02	-4,66E-02
ADPminerals&metals*	kg Sb eq.	2,97E-03	2,33E-04	ND	ND	ND	ND	ND	ND	ND	ND	2,11E-07	1,46E-05	1,49E-07	-4,23E-05	-2,94E-05
ADP-fossil*	MJ	4,59E+03	1,07E+03	ND	ND	ND	ND	ND	ND	ND	ND	7,17E+00	6,15E+01	5,08E+00	-2,04E+02	-1,55E+02
WDP*	m <sup>3</sup>	2,05E+02	3,28E+00	ND	ND	ND	ND	ND	ND	ND	ND	1,04E-02	1,75E-01	7,34E-03	-2,57E+00	-3,97E-01

GWP-rossil = Global Warming Potential rossil rules; GWP-blogenic = Global Warming Potential blogenic; GWP-blude = Global Warming Potential and use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADPminerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

\* Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

### Additional mandatory and voluntary impact category indicators

Acronyms

				R	esults p	oer fun	ctional	or dec	lared u	ınit						
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG1	kg CO <sub>2</sub> eq.	3,11E+02	7,08E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,27E-01	4,07E+00	3,73E-01	-1,34E+01	-9,13E+00
PM	Disease incidence	2,17E-05	4,93E-06	ND	ND	ND	ND	ND	ND	ND	ND	5,62E-08	2,82E-07	4,71E-08	-9,76E-07	-6,06E-07
IR	kBq U235 eq.	2,46E+01	5,62E+00	ND	ND	ND	ND	ND	ND	ND	ND	3,27E-02	3,21E-01	2,32E-02	-1,59E+00	-2,09E+00
ETP-fw	CTUe	7,17E+03	8,18E+02	ND	ND	ND	ND	ND	ND	ND	ND	4,10E+00	4,70E+01	2,90E+00	-2,00E+02	-1,09E+02
HTP-c	CTUh	8,51E-07	2,74E-08	ND	ND	ND	ND	ND	ND	ND	ND	7,08E-10	1,68E-09	6,04E-10	-4,94E-09	-6,76E-09
HTP-nc	CTUh	4,16E-06	8,18E-07	ND	ND	ND	ND	ND	ND	ND	ND	3,66E-09	4,77E-08	2,89E-09	1,18E-07	-1,13E-07
SQP	dimensi- onless	1,45E+05	7,87E+02	ND	ND	ND	ND	ND	ND	ND	ND	9,31E-01	4,23E+01	6,59E-01	-1,51E+02	-9,24E+01

<sup>1</sup> This indicator accounts for all greenhouse gases except biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. As such, the indicator is identical to GWP-total except that the CF for biogenic CO<sub>2</sub> is set to zero.





## **Resource use indicators**

					Result	s per fur	nctional	or decla	red uni	:						
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
PERE	MJ	2,74E+02	1,06E+01	ND	ND	ND	ND	ND	ND	ND	ND	2,80E-02	6,03E-01	1,99E-02	-8,17E+00	-9,02E+00
PERM	MJ	2,01E+04	4,25E+00	ND	ND	ND	ND	ND	ND	ND	ND	9,13E-03	2,25E-01	6,46E-03	-1,88E+00	-1,89E+00
PERT	MJ	2,04E+04	1,49E+01	ND	ND	ND	ND	ND	ND	ND	ND	3,72E-02	8,28E-01	2,63E-02	-1,01E+01	-1,09E+01
PENRE	MJ	4,59E+03	1,07E+03	ND	ND	ND	ND	ND	ND	ND	ND	7,17E+00	6,15E+01	5,08E+00	-2,04E+02	-1,55E+02
PENRM	MJ	2,01E+04	4,25E+00	ND	ND	ND	ND	ND	ND	ND	ND	9,13E-03	2,25E-01	6,46E-03	-1,88E+00	-1,89E+00
PENRT	MJ	2,47E+04	1,07E+03	ND	ND	ND	ND	ND	ND	ND	ND	7,18E+00	6,17E+01	5,09E+00	-2,06E+02	-1,57E+02
SM	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
RSF	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
NRSF	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
FW	m <sup>3</sup>	2,05E+02	3,28E+00	ND	ND	ND	ND	ND	ND	ND	ND	1,04E-02	1,75E-01	7,34E-03	-2,57E+00	-3,97E-01

Acronyms

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PERM = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy resources; SM = Use of secondary material; RSF = Use of non-renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water

## **Waste indicators**

					Result	s per fur	nctional	or decla	red unit	:						
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	1,17E-02	2,75E-03	ND	ND	ND	ND	ND	ND	ND	ND	1,93E-05	1,60E-04	1,37E-05	-3,88E-04	-2,68E-04
Non-hazardous waste disposed	kg	1,13E+02	5,14E+01	ND	ND	ND	ND	ND	ND	ND	ND	8,82E-03	2,95E+00	6,25E-03	-6,95E+00	-6,16E+00
Radioactive waste disposed	kg	1,83E-02	7,36E-03	ND	ND	ND	ND	ND	ND	ND	ND	4,99E-05	4,21E-04	3,54E-05	-1,21E-03	-1,07E-03

## **Output flow indicators**

					Result	s per fur	nctional	or decla	red unit	t						
Indicator	Unit	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
Material for recycling	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	3,43E+02	0
Materials for energy recovery	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
Exported energy, electricity	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
Exported energy, thermal	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0





## **Differences versus previous versions**

In the revised version of the EPD, the balance in the environmental indicator of biogenic carbon has been revised in accordance with Annex 2 of the PCR.

## References

ISO 14020:2000 Environmental labels and declarations — General principles, 2000-09

ISO 14025: EN ISO 14025:2006-11: Environmental labels and declarations - Type III environmental declarations - Principles and procedures

ISO, 14040:2006 Environmental management — Life cycle assessment — Principles and framework, 2006-07

ISO 14044:2006 Environmental management — Life cycle assessment — Requirements and guidelines, 2006-07

EN 15804+A2:2019 European Committee for Standardization: Sustainability of construction works

- Environmental product declarations - Core rules for the product category of construction products, 2019

General Programme Instructions of The International EPD® System. Version 4.0, 2021-03-29

Product Category Rules (PCR) document for Construction Products (PCR 2019:14 VERSION 1.3.1, 2022-11-01)

Ecoinvent: Ecoinvent Centre, www.Eco-invent.org version 3.8

SimaPro software 9.0.4.2, Pré Consultants



